


やや硬い浅型のキャップ

# 詰め栓




■材質・色  
ポリエチレン・白濁色

■出荷単位  
100個



■品番の選定  
口径-塞ぎたい穴+0.5mm程度までになる詰め栓が最適です。  
例：穴径φ10の場合 → 最適径φ10.5 TC10-4



■このような個所に

●穴にはめる



●メネジにはめる



●パイプにはめる



●六角穴にはめる



| 適用<br>穴径 | 品番     | 寸法   |      |      |
|----------|--------|------|------|------|
|          |        | 口径   | ツバ径  | 高さ   |
| φ3<br>∩  | TC 3-5 | 3.9  | 6.8  | 5.0  |
|          | TC 5-2 | 5.1  | 8.5  | 6.9  |
|          | TC 5-3 | 5.5  | 9.5  | 5.0  |
|          | TC 5-4 | 5.8  | 9.7  | 6.9  |
|          | TC 6-1 | 6.0  | 8.4  | 6.0  |
|          | TC 6-3 | 6.3  | 9.6  | 6.0  |
|          | TC 6-4 | 6.5  | 9.7  | 6.0  |
|          | TC 6-6 | 6.7  | 10.7 | 6.6  |
|          | TC 7-1 | 7.0  | 10.9 | 6.5  |
|          | TC 7-2 | 7.4  | 10.0 | 7.8  |
|          | TC 8-1 | 8.0  | 12.0 | 5.5  |
|          | TC 8-2 | 8.5  | 12.5 | 6.0  |
|          | TC 8-3 | 8.9  | 11.6 | 8.1  |
|          | TC 9-1 | 9.0  | 10.5 | 8.6  |
|          | TC 9-2 | 9.2  | 13.0 | 10.5 |
|          | TC 9-3 | 9.4  | 12.7 | 9.6  |
| TC 9-4   | 9.6    | 12.8 | 8.2  |      |
| TC 9-7   | 9.9    | 12.7 | 10.5 |      |
| φ10<br>∩ | TC10-1 | 10.3 | 13.7 | 8.2  |
|          | TC10-4 | 10.5 | 14.7 | 7.2  |
|          | TC10-5 | 10.9 | 14.0 | 7.9  |
|          | TC11-3 | 11.6 | 15.0 | 7.7  |
|          | TC11-4 | 11.8 | 15.0 | 8.5  |
|          | TC12-1 | 12.4 | 15.0 | 8.5  |
|          | TC13-1 | 13.0 | 16.0 | 9.0  |
|          | TC13-2 | 13.3 | 15.7 | 9.9  |
|          | TC13-3 | 13.5 | 16.2 | 7.9  |
|          | TC13-4 | 13.7 | 16.9 | 8.2  |
|          | TC14-2 | 14.2 | 17.3 | 7.8  |
|          | TC14-5 | 14.6 | 17.4 | 8.0  |
|          | TC15-1 | 15.0 | 17.6 | 7.8  |
|          | TC15-3 | 15.6 | 19.4 | 9.9  |
|          | TC15-4 | 15.9 | 19.4 | 9.6  |
|          | TC16-1 | 16.1 | 19.3 | 9.6  |
|          | TC16-2 | 16.5 | 20.0 | 8.6  |
|          | TC17-1 | 17.2 | 22.4 | 8.0  |
| TC17-2   | 17.4   | 22.5 | 8.6  |      |

| 適用<br>穴径 | 品番       | 寸法     |      |      |     |
|----------|----------|--------|------|------|-----|
|          |          | 口径     | ツバ径  | 高さ   |     |
| φ10<br>∩ | TC17-7   | 17.9   | 21.0 | 9.1  |     |
|          | TC18-1   | 18.3   | 21.7 | 8.9  |     |
|          | TC18-4   | 18.7   | 22.6 | 9.0  |     |
|          | TC18-5   | 18.8   | 22.5 | 8.7  |     |
|          | TC19-2   | 19.2   | 23.9 | 6.8  |     |
|          | TC19-5   | 19.9   | 24.1 | 8.8  |     |
|          | φ20<br>∩ | TC20-1 | 20.5 | 24.4 | 8.9 |
|          |          | TC21-1 | 21.0 | 25.0 | 9.0 |
|          |          | TC21-2 | 21.5 | 24.3 | 8.8 |
|          |          | TC21-3 | 21.8 | 26.3 | 6.9 |
| TC22-1   |          | 22.0   | 26.6 | 9.8  |     |
| TC22-4   |          | 22.3   | 28.0 | 11.3 |     |
| TC23-1   |          | 23.0   | 27.2 | 7.0  |     |
| TC23-2   |          | 23.5   | 27.5 | 9.0  |     |
| TC23-3   |          | 24.0   | 28.1 | 7.0  |     |
| TC24-1   |          | 24.3   | 28.8 | 7.7  |     |
| TC24-2   | 24.5     | 28.8   | 7.7  |      |     |
| TC24-3   | 24.8     | 30.0   | 10.3 |      |     |
| TC25-1   | 25.0     | 29.3   | 6.5  |      |     |
| TC25-2   | 25.6     | 29.4   | 6.6  |      |     |
| TC26-1   | 26.0     | 31.7   | 9.3  |      |     |
| TC26-3   | 26.3     | 30.7   | 6.9  |      |     |
| TC26-6   | 26.8     | 32.2   | 7.4  |      |     |
| TC27-1   | 27.4     | 31.9   | 7.2  |      |     |
| TC28-1   | 28.2     | 31.9   | 7.4  |      |     |
| TC29-1   | 29.0     | 33.0   | 10.0 |      |     |
| TC29-2   | 29.4     | 33.2   | 9.0  |      |     |
| TC29-3   | 29.8     | 35.3   | 8.9  |      |     |
| φ30<br>∩ | TC30-1   | 30.1   | 37.1 | 7.1  |     |
|          | TC31-1   | 31.0   | 37.6 | 6.9  |     |
|          | TC31-2   | 31.4   | 36.6 | 9.0  |     |
|          | TC32-2   | 32.1   | 36.6 | 9.1  |     |
|          | TC32-3   | 32.5   | 37.0 | 11.0 |     |
|          | TC33-1   | 33.3   | 37.2 | 8.8  |     |
|          | TC34-2   | 34.7   | 40.2 | 6.9  |     |
|          | TC35-1   | 35.1   | 40.2 | 9.0  |     |
|          | TC35-2   | 35.7   | 38.2 | 8.9  |     |

| 適用<br>穴径 | 品番       | 寸法      |       |      |
|----------|----------|---------|-------|------|
|          |          | 口径      | ツバ径   | 高さ   |
| φ30<br>∩ | TC 36-1  | 36.0    | 44.2  | 9.0  |
|          | TC 36-2  | 36.6    | 44.0  | 8.9  |
|          | TC 37-1  | 37.8    | 42.5  | 9.3  |
|          | TC 38-1  | 38.1    | 42.3  | 9.5  |
|          | TC 39-1  | 39.2    | 44.0  | 10.3 |
|          | TC 39-2  | 39.6    | 44.3  | 9.1  |
|          | φ40<br>∩ | TC 40-1 | 40.7  | 47.5 |
| TC 41-2  |          | 41.6    | 48.8  | 9.0  |
| TC 42-1  |          | 42.0    | 46.2  | 9.0  |
| TC 42-2  |          | 42.6    | 46.4  | 5.8  |
| TC 43-1  |          | 43.2    | 49.5  | 8.7  |
| TC 43-2  |          | 43.7    | 49.9  | 8.7  |
| TC 44-1  |          | 44.2    | 49.0  | 16.2 |
| TC 45-1  |          | 45.4    | 52.1  | 8.0  |
| TC 46-1  |          | 46.4    | 50.8  | 6.0  |
| TC 47-0  |          | 47.0    | 52.0  | 10.0 |
| TC 47-1  | 47.4     | 52.6    | 8.3   |      |
| φ50<br>∩ | TC 51-0  | 51.1    | 60.0  | 10.2 |
|          | TC 51-1  | 51.8    | 58.4  | 14.3 |
|          | TC 52-3  | 52.6    | 58.1  | 9.2  |
|          | TC 56-2  | 56.7    | 65.6  | 13.5 |
|          | TC 58-1  | 58.2    | 67.0  | 8.7  |
|          | TC 59-1  | 59.7    | 64.0  | 7.7  |
| φ60<br>∩ | TC 60-1  | 60.4    | 64.5  | 9.5  |
|          | TC 61-1  | 61.9    | 67.2  | 7.0  |
|          | TC 64-1  | 64.6    | 69.2  | 9.2  |
| φ70<br>∩ | TC 66-1  | 66.2    | 75.2  | 8.7  |
|          | TC 72-1  | 72.7    | 77.9  | 7.2  |
|          | TC 73-1  | 73.6    | 82.5  | 8.7  |
| φ80<br>∩ | TC 74-1  | 74.2    | 78.9  | 7.6  |
|          | TC 74-2  | 74.7    | 79.0  | 7.5  |
|          | TC 81-1  | 81.2    | 90.2  | 8.7  |
| ∩        | TC 85-1  | 85.1    | 93.8  | 8.7  |
|          | TC 86-1  | 86.0    | 90.0  | 10.0 |
|          | TC101-1  | 101.8   | 113.8 | 9.0  |



商品に関するお問い合わせ ご注文は

TEL 053-433-5211 FAX 053-433-5212 E-mail main@takene.co.jp

〒431-3114 静岡県浜松市東区横志町255

ホームページ [Takene](#)

■品番対応表

●メネジにはめる

(メートルネジ)

| 呼び  | 下穴   | 品番     | 口径   |
|-----|------|--------|------|
| M 3 | 2.5  | なし     |      |
| M 4 | 3.4  | なし     |      |
| M 5 | 4.3  | TC 5-2 | 5.1  |
| M 6 | 5.1  | TC 5-4 | 5.8  |
| M 8 | 6.9  | TC 7-2 | 7.4  |
| M10 | 8.6  | TC 8-3 | 8.9  |
| M12 | 10.4 | TC10-5 | 10.9 |
| M14 | 12.2 | TC12-1 | 12.4 |
| M16 | 14.2 | TC14-5 | 14.6 |
| M18 | 15.7 | TC16-1 | 16.1 |
| M20 | 17.7 | TC18-1 | 18.3 |

| 呼び  | 下穴   | 品番     | 口径   |
|-----|------|--------|------|
| M22 | 19.7 | TC20-1 | 20.5 |
| M24 | 21.2 | TC21-3 | 21.8 |
| M27 | 24.2 | TC24-3 | 24.8 |
| M30 | 26.6 | TC27-1 | 27.4 |
| M33 | 29.6 | TC29-3 | 29.8 |
| M36 | 32.1 | TC32-3 | 32.5 |
| M39 | 35.1 | TC35-2 | 35.7 |
| M42 | 37.6 | TC37-1 | 37.8 |
| M45 | 40.6 | TC41-2 | 41.6 |
| M48 | 43.1 | TC43-2 | 43.7 |
| M56 | 50.6 | TC51-0 | 51.1 |

(ウイットネジ)


| 呼び    | 下穴   | 品番     | 口径   |
|-------|------|--------|------|
| W1/ 4 | 5.1  | TC 5-4 | 5.8  |
| W5/16 | 6.6  | TC 7-1 | 7.0  |
| W3/ 8 | 8.0  | TC 8-3 | 8.9  |
| W7/16 | 9.4  | TC 9-4 | 9.6  |
| W1/ 2 | 10.7 | TC10-5 | 10.9 |
| W5/ 8 | 13.7 | TC14-2 | 14.2 |
| W3/ 4 | 16.7 | TC17-2 | 17.4 |
| W7/ 8 | 19.5 | TC20-1 | 20.5 |
| W1"   | 22.4 | TC23-1 | 23.0 |



(管用ネジ)

| 呼び    | 下穴   | 品番     | 口径   |
|-------|------|--------|------|
| Rc1/8 | 8.5  | TC 8-2 | 8.5  |
| Rc1/4 | 11.4 | TC11-3 | 11.6 |
| Rc3/8 | 14.9 | TC15-1 | 15.0 |
| Rc1/2 | 18.5 | TC18-5 | 18.5 |


●パイプにはめる



| パイプ |      |     |      | 詰め栓    |      |      |
|-----|------|-----|------|--------|------|------|
| 呼び  | 外径   | 肉厚  | 内径   | 品番     | つば径  | 口径   |
| 6A  | 10.5 | 2.0 | 6.5  | TC 6-6 | 10.7 | 6.7  |
| 8A  | 13.8 | 2.3 | 9.2  | TC 9-3 | 12.7 | 9.4  |
| 10A | 17.3 | 2.3 | 12.7 | TC13-1 | 16.0 | 13.0 |
| 15A | 21.7 | 2.8 | 16.1 | TC16-2 | 20.0 | 16.5 |
| 20A | 27.2 | 2.8 | 21.6 | TC21-3 | 26.2 | 21.8 |
| 25A | 34.0 | 3.2 | 27.6 | TC28-1 | 31.9 | 28.2 |
| 32A | 42.7 | 3.5 | 35.7 | TC36-1 | 44.2 | 36.0 |
| 40A | 48.6 | 3.5 | 41.6 | TC42-1 | 46.2 | 42.0 |
| 50A | 60.5 | 3.8 | 52.9 | なし     |      |      |
| 65A | 76.3 | 4.2 | 67.9 | なし     |      |      |
| 80A | 89.1 | 4.2 | 80.7 | TC81-1 | 90.2 | 81.2 |

※肉厚が変わると、該当品番も変わります

●六角穴にはめる



| ボルト |      |      | 詰め栓    |      |      |
|-----|------|------|--------|------|------|
| 呼び  | 頭径   | 二面幅  | 品番     | つば径  | 口径   |
| M 8 | 13.0 | 6.0  | TC 6-4 | 9.7  | 6.5  |
| M10 | 16.0 | 8.0  | TC 8-2 | 12.5 | 8.5  |
| M12 | 18.0 | 10.0 | TC10-4 | 14.7 | 10.5 |
| M14 | 21.0 | 12.0 | TC12-1 | 15.0 | 12.4 |
| M16 | 24.0 | 14.0 | TC14-5 | 17.4 | 14.6 |
| M18 | 27.0 | 14.0 | TC14-5 | 17.4 | 14.6 |
| M20 | 30.0 | 17.0 | TC17-2 | 22.5 | 17.4 |
| M22 | 33.0 | 17.0 | TC17-2 | 22.5 | 17.4 |
| M24 | 36.0 | 19.0 | TC19-5 | 24.1 | 19.9 |
| M27 | 40.0 | 19.0 | TC19-5 | 24.1 | 19.9 |
| M30 | 45.0 | 22.0 | TC22-4 | 28.0 | 22.3 |
| M33 | 50.0 | 24.0 | TC24-2 | 28.8 | 24.5 |